



VMS Software

F11X V4.0 ECO Kit for VSI OpenVMS IA-64

Release Notes

Publication Date: January 2026

Operating Systems: VSI OpenVMS IA-64 Version 8.4-1H1
VSI OpenVMS IA-64 Version 8.4-2
VSI OpenVMS IA-64 Version 8.4-2L1
VSI OpenVMS IA-64 Version 8.4-2L3

Kit Name: VMS842L3I_F11X-V0400

Table of Contents

| | |
|---|----------|
| 1. Kit Name | 3 |
| 2. Kit Description | 3 |
| 2.1. Installation Rating | 3 |
| 2.2. Reboot Requirement | 3 |
| 2.3. Version(s) of VSI OpenVMS to Which This Kit May Be Applied | 3 |
| 3. Kits Superseded by This Kit | 3 |
| 4. Kit Dependencies | 3 |
| 5. Problems Addressed in This Kit | 4 |
| 5.1. System May Crash With Rare Spurious XQPERR Bugcheck | 4 |
| 6. Problems Addressed From Previous Kits | 4 |
| 6.1. Fixes from FILESYS V1.0 kit | 4 |
| 6.2. UNXSIGNAL System Crash After Installing FILESYS V1.0 ECO kit | 4 |
| 7. Images or Files Replaced | 5 |
| 8. Installation Instructions | 7 |
| 8.1. Compressed File | 7 |
| 8.2. Installation Command | 7 |
| 9. Copyright | 8 |
| 10. Disclaimer of Warranty and Limitation of Liability | 8 |
| 11. Patch ID | 8 |
| Appendix A. User-Selectable Control Options and Scripting Considerations | 8 |
| A.1. Controlling Kit Behavior for Introductory Questions | 8 |
| A.2. Standard Behavior for YES/NO Questions Asked During Kit Installation | 10 |
| A.3. Installing a Kit From a Batch Job | 10 |
| A.4. Deprecated Logical Names From HPE ECO Kits | 10 |

1. Kit Name

VMS842L3I_F11X-V0400

2. Kit Description

2.1. Installation Rating

INSTALL_1: To be installed by all customers.

This installation rating serves as a guide to which customers should apply this remedial kit.

Reference the [Disclaimer of Warranty and Limitation of Liability Statement](#).

2.2. Reboot Requirement

A reboot is required after installing this kit.

VMS Software, Inc. strongly recommends that a reboot be performed immediately after kit installation to avoid system instability.

If you are installing this kit in a VMScluster, any systems that share the same system disk with the installing system must also be rebooted in order to make use of the new images.

2.3. Version(s) of VSI OpenVMS to Which This Kit May Be Applied

- VSI OpenVMS IA-64 Version 8.4-1H1
- VSI OpenVMS IA-64 Version 8.4-2
- VSI OpenVMS IA-64 Version 8.4-2L1
- VSI OpenVMS IA-64 Version 8.4-2L3

The images and files in this kit apply to any of these VSI OpenVMS versions. Because patch kits are removed by PCSI during upgrades to newer OpenVMS versions, the kit will need to be reinstalled if an upgrade is done from an older listed version to any newer listed version.

3. Kits Superseded by This Kit

VMS842L3I_F11X-V0300

4. Kit Dependencies

VMS841H1I_FILESYS-V0100 (if installing on V8.4-1H1)

VMS842I_FILESYS-V0100 (if installing on V8.4-2)

VMS842L1I_FILESYS-V0100 (if installing on V8.4-2L1)

VMS842L3I_FILESYS-V0100 (if installing on V8.4-2L3)

The FILESYS V1.0 kit named above which matches the version of VSI OpenVMS being patched is required for this kit to install.

Note

If you are installing both the FILESYS and F11X kits at the same time, you do not need to reboot between each kit. You may install them using successive **PRODUCT INSTALL** commands or simultaneously with a single **PRODUCT INSTALL** command.

5. Problems Addressed in This Kit

5.1. System May Crash With Rare Spurious XQPERR Bugcheck

Problem Description

The system may crash with an XQPERR bugcheck under rare circumstances. The triggering condition involves the inability to acquire a file system access lock for a file which is set to be truncated on close.

The specific crash was due to an incorrect sanity check based on how the affected code returns errors. The situation can safely be resolved by returning an SS\$_ACCONFLICT (access conflict) status back to the user.

Images and/or Files Affected

[SYS\$LDR]F11BXQP.EXE
[SYS\$LDR]F11BXQP.STB

VSI Case Identifier

Netsuite NS8738

Release Version of VSI OpenVMS That Will Contain This Change

Next VSI OpenVMS IA-64 release after V8.4-2L3

6. Problems Addressed From Previous Kits

6.1. Fixes from FILESYS V1.0 kit

Changes for the XQP image prior to the F11X V3.0 ECO kit are documented in the release notes for the FILESYS V1.0 kit.

6.2. UNXSIGNAL System Crash After Installing FILESYS V1.0 ECO kit

Problem Description

The FILESYS V1.0 ECO kits included a change in the distributed file system (XQP) to avoid directory processing issues for complex large directories with mixed case differences in different file versions.

While that change correctly addressed the intended problem, it unfortunately also introduced a regression for an older fix. This can cause a "UNXSIGNAL, Unexpected signal name in ACP" bugcheck in the XQP when processing some large directories.

The regression is corrected with this ECO kit.

Images and/or Files Affected

[SYS\$LDR]F11BXQP.EXE
[SYS\$LDR]F11BXQP.STB

VSI Case Identifier

Jira BO-1556

Netsuite NS6397

Release Version of VSI OpenVMS That Will Contain This Change

Next VSI OpenVMS IA-64 release after V8.4-2L3

7. Images or Files Replaced

If installing on V8.4-1H1

[SYS\$LDR]F11BXQP.EXE

| | |
|----------------------------|----------------------------------|
| Image name | "F11BXQP" |
| Image file identification | "XQP V841H1R E30" |
| Image build identification | "XE30-B4N-000189" |
| Link identification | "Linker I02-37" |
| Link Date/Time | 14-JAN-2026 01:07:34.06 |
| Image Checksum (MD5) | 172B8AAD4058516EA7721CE3B7D53C0A |

[SYS\$LDR]F11BXQP.STB

| | |
|-----------------------------|----------------------------------|
| File creation date and time | 14-JAN-2026 01:07:34.12 |
| Checksum (MD5) | 47E2A938ADD5F8DD1E8B0A6D92DA846C |

If installing on V8.4-2

[SYS\$LDR]F11BXQP.EXE

| | |
|----------------------------|----------------------------------|
| Image name | "F11BXQP" |
| Image file identification | "XQP V842R_3 E3F" |
| Image build identification | "XE3F-M5D-000189" |
| Link identification | "Linker I02-37" |
| Link Date/Time | 14-JAN-2026 01:35:41.42 |
| Image Checksum (MD5) | 368C83570AB85585A36A42737CAA9F2D |

[SYS\$LDR]F11BXQP.STB

| | |
|-----------------------------|-----------------------------------|
| File creation date and time | 14-JAN-2026 01:35:41.47 |
| Checksum (MD5) | 3AFAFBAA1B9FA5A348720AB2E09FA52E6 |

If installing on V8.4-2L1

[SYS\$LDR]F11BXQP.EXE

| | |
|----------------------------|----------------------------------|
| Image name | "F11BXQP" |
| Image file identification | "XQP V842L1R E4H" |
| Image build identification | "XE4H-H4N-000189" |
| Link identification | "Linker I02-37" |
| Link Date/Time | 13-JAN-2026 22:36:08.77 |
| Image Checksum (MD5) | 851A47B44E2063A94C9EA167C137CA1F |

[SYS\$LDR]F11BXQP.STB

| | |
|-----------------------------|----------------------------------|
| File creation date and time | 13-JAN-2026 22:36:08.83 |
| Checksum (MD5) | F36BA71235C0B96C98CB308F894D8250 |

If installing on V8.4-2L3

[SYS\$LDR]F11BXQP.EXE

| | |
|----------------------------|----------------------------------|
| Image name | "F11BXQP" |
| Image file identification | "XQP V842L3R FWL" |
| Image build identification | "XFWL-C6E-000189" |
| Link identification | "Linker I02-37" |
| Link Date/Time | 14-JAN-2026 00:42:39.57 |
| Image Checksum (MD5) | 898E57D945AC0A64CE6B099DEF43526A |

[SYS\$LDR]F11BXQP.STB

| | |
|-----------------------------|----------------------------------|
| File creation date and time | 14-JAN-2026 00:42:39.61 |
| Checksum (MD5) | 2D1EB52206A8E464B800EB05D95A06BF |

Note

VMS Software, Inc. will only distribute kits in signed form. There is no need for most customers to compare file checksums for security or kit integrity reasons.

However, some sites may require such checking even when using signed kits. The image or file checksums are supplied (in MD5 format) to provide comparisons to the extracted final kit files. To find a file checksum, use:

```
$ CHECKSUM/ALGORITHM=MD5 filename
$ SHOW SYMBOL CHECKSUM$CHECKSUM
```

Note

Because a file or image may be replaced by multiple ECO kits over time, a PCSI generation number is used to ensure that the latest version of the file or image is preserved on your system during **PRODUCT INSTALL** of an ECO kit. Should a particular kit installation discover a newer version of a file or image in place on the system disk, the following message will be displayed:

```
%PCSI-I-RETAIN, file filename will not be replaced because file from kit  
has lower generation number
```

This is a normal occurrence depending on the order of kit installation. The correct version of the file or image will remain on the system after the current kit installation. The %PCSI-I-RETAIN message is informational only and does not indicate a problem.

8. Installation Instructions

8.1. Compressed File

This kit is provided for download within a ZIP archive container file.

The kit files may be extracted on any system with UNZIP and copied to your OpenVMS system, or extracted on your OpenVMS system directly.

Assuming you have created an UNZIP symbol to invoke the UNZIP image, you can invoke UNZIP to unpack the kit on OpenVMS using the command:

```
$ UNZIP VMS842L3I_F11X-V0400
```

This will extract the installable PCSI product kit file and its associated signed manifest (_VNC file), used for kit validation during **PRODUCT** commands.

VSI strongly recommends always using the manifest to validate the kit content during any **PRODUCT** commands. This will occur automatically if the files are both contained in the same directory.

UNZIP Tool Availability

Most customers likely have already installed a set of ZIP and UNZIP tools on their VSI OpenVMS systems. Should you need these tools, a set of the Info-ZIP freeware ZIP and UNZIP tools for VSI OpenVMS is available for download on the web at this address: <https://vmsssoftware.com/community/freeware/>.

8.2. Installation Command

Install this kit with the POLYCENTER Software Installation Utility by logging into the SYSTEM account and typing the following command at the DCL prompt:

```
$ PRODUCT INSTALL VMS842L3I_F11X [/SOURCE=location_of_kit]
```

The kit location may be a tape drive, CD/DVD, or a disk directory that contains the kit. The **/SOURCE** qualifier is not needed if the **PRODUCT INSTALL** command is executed from the same directory as the kit location.

This kit requires the use of **/RECOVERY_MODE** and **/SAVE_RECOVERY_DATA** and will automatically set them; they do not need to be present on the command line.

The release notes for any kit may be extracted prior to kit installation using the **PRODUCT EXTRACT RELEASE_NOTES** command.

User-selectable options for installation behavior and scripting are available in this kit, refer to *Appendix A, "User-Selectable Control Options and Scripting Considerations"* for further details.

Additional help on installing PCSI kits can be found by typing **HELP PRODUCT INSTALL** at the system prompt.

9. Copyright

VMS SOFTWARE, INC. CONFIDENTIAL. This software is confidential proprietary software licensed by VMS Software, Inc., and is not authorized to be used, duplicated, or disclosed to anyone without the prior written permission of VMS Software, Inc.

Copyright 2025 VMS Software, Inc.

10. Disclaimer of Warranty and Limitation of Liability

This patch is provided as is, without warranty of any kind. All express or implied conditions, representations, and warranties, including any implied warranty of merchantability, fitness for particular purpose, or non-infringement, are hereby excluded to the extent permitted by applicable law. In no event will VMS Software, Inc. be liable for any lost revenue or profit, or for special, indirect, consequential, incidental or punitive damages, however caused and regardless of the theory of liability, with respect to any patch made available here or to the use of such patch.

11. Patch ID

I64VMS-VMS842L3I_F11X-V0400--4

Note

The terms "ECO kit" and "patch kit" may be used interchangeably in this document. This also applies for other VSI OpenVMS documentation when describing PCSI kits that provide remedial updates to a particular product.

A. User-Selectable Control Options and Scripting Considerations

A.1. Controlling Kit Behavior for Introductory Questions

This kit provides user-selectable control options for kit dialogue interaction and automated scripting capability as described here in this appendix.

The general form of a VSI OpenVMS ECO kit, when using **PRODUCT INSTALL**, consists of three initial questions regarding these topics:

1. System disk backup: A reminder that VSI recommends backing up the system disk before installing updates, followed by a `Do you want to continue? yes/no` question, default is YES.
2. Reboot requirement: A summary of whether the kit being installed requires a system reboot, followed by a `Do you want to continue? yes/no` question, default is YES.
3. Archival of updated files: A description of saving an `_OLD` copy of each image or file updated by the kit, followed by a `Do you want to save _OLD copies of replaced files? yes/no` question, default is NO.

Other questions may be asked later, depending on the target disk or system environment or other kit-specific requirements.

Note

An initial `Do you want to continue?` question may be asked directly by the PCSI utility during any **PRODUCT** command - this has nothing to do with the kit being used. To avoid that question, you must supply sufficient detail to uniquely identify the product you wish to use and specify **/OPTIONS=NOCONFIRM** on the **PRODUCT** command.

Control options are available to customize the dialogue for the initial three kit questions. The controls are logical names, which may be defined in the process logical name table with a value of YES or NO.

To modify the behavior of a VSI OpenVMS ECO kit regarding the initial questions, define one or more of the following logical names before issuing the **PRODUCT INSTALL** command.

- To skip one or more of the questions, define the corresponding logical name shown here to YES:

| | |
|--------------------------------|---|
| <code>SKIP\$BACKUP</code> | Skips system backup awareness question. |
| <code>SKIP\$REBOOT</code> | Skips system reboot awareness question. |
| <code>SKIP\$ARCHIVE_OLD</code> | Skips question about saving <code>_OLD</code> files. This will take the default, which is NO. |
| <code>SKIP\$INTRO</code> | Skips all three of the above questions. |

- To specifically override the default for saving `_OLD` files, define this logical name to YES or NO:

| | |
|----------------------------------|---|
| <code>VSIKIT\$ARCHIVE_OLD</code> | Sets an answer for saving <code>_OLD</code> files behavior. This will skip the archive <code>_OLD</code> files question regardless of the above <code>SKIP\$*</code> logical names. |
|----------------------------------|---|

- Two additional logical names may be defined as YES to modify the amount of explanatory text displayed for each question:

| | |
|------------------------------|---|
| <code>VSIKIT\$VERBOSE</code> | Shows all explanatory text for questions. |
| <code>VSIKIT\$BRIEF</code> | Skips some general details in the explanations. |

The default if neither name is defined is `VERBOSE`. If both names are defined to YES, `VERBOSE` overrides `BRIEF`. The `BRIEF` form is displayed for any questions that are skipped.

For example, to skip all three questions but save an archive `_OLD` copy of each replaced file:

```
$ DEFINE VSIKIT$ARCHIVE_OLD YES
$ DEFINE SKIP$INTRO YES
$ PRODUCT INSTALL kitname
```

A.2. Standard Behavior for YES/NO Questions Asked During Kit Installation

Any YES/NO questions asked during kit installation now follow these rules:

1. **Ctrl/Y** issued while a question is being asked will force the current **PRODUCT** operation to terminate. This is completely safe to do while the initial three questions are being asked during **PRODUCT INSTALL** as no changes have yet been made to the target disk.
2. Some questions may ignore **Ctrl/Y** and ask for a specific answer (for example, if aborting the current operation may have side effects for the system). Additionally, note the following:
 - PCSI may trap **Ctrl/Y** directly for some **PRODUCT** operations.
 - **Ctrl/Y** may be disabled during some sensitive kit processing.
3. The default YES/NO answer is automatically chosen if a kit is installed from a batch job, unless explicitly overridden by a logical name that provides the particular value, such as **VSIKIT\$ARCHIVE_OLD**.

A.3. Installing a Kit From a Batch Job

To install a kit from a batch job, you will need to fully qualify the kit name so PCSI will have enough information to select the kit without asking for confirmation. For example, to install this kit:

```
$ PRODUCT INSTALL VMS842L3I_F11X/VERSION=V4.0/OPTIONS=NOCONFIRM
```

If the kit is located in a directory other than the current default directory, you will also need to add the qualifier:

```
/SOURCE=location_of_the_kit
```

For a batch job, any YES/NO question will automatically select the default answer. Use the control logical names explained above to modify the behavior if necessary. For the system disk backup and reboot questions, the batch behavior is identical to the default. For the save "_OLD" files question, define the **VSIKIT\$ARCHIVE_OLD** logical name to YES if you want to save copies of the files, since the batch default is NO.

A.4. Deprecated Logical Names From HPE ECO Kits

The three names listed below were used by older VSI OpenVMS ECO kits for compatibility with HPE ECO kit behavior. These old names continue to function, but VSI encourages you to modify any scripts you may have to use the new names shown instead:

| Old Name | New Name |
|----------------|---------------------|
| NO_ASK\$BACKUP | SKIP\$BACKUP |
| NO_ASK\$REBOOT | SKIP\$REBOOT |
| ARCHIVE_OLD | VSIKIT\$ARCHIVE_OLD |