



VMS Software

RMS V6.2 ECO Patch Kit for VSI OpenVMS IA-64

Release Notes

Publication Date: May 2026

Operating Systems: VSI OpenVMS IA-64 V8.4-2L1
VSI OpenVMS IA-64 V8.4-2L3

Kit Name: VMS842L3I_RMS-V0602

Table of Contents

1. Kit Name	3
2. Kit Description	3
2.1. Installation Rating	3
2.2. Reboot Requirement	3
2.3. Version(s) of VSI OpenVMS to Which This Kit May Be Applied	3
3. Kits Superseded by This Kit	3
4. Kit Dependencies	3
5. Problems Addressed in This Kit	4
5.1. Restore Correct Behavior for RWMBX Processes to Avoid System Hang	4
5.2. Allow Attunity Change Data Capture (RMSCDC) to Validate that its Version is Compatible with the Current RMS Version	4
6. Problems Addressed From Previous Kits	5
6.1. Correct an Issue Where an RMS Status Code May Be Truncated	5
6.2. Fixes From the FILESYS V1 ECO Kit	5
6.3. File Locks Owned by Process in RWMBX Resource Wait May Cause Hang	6
6.4. Spurious RMS-E-RLK Errors After Installing RMS V5 ECO Kit	6
6.5. Spurious process terminations after installing RMS V6.0 ECO kit	7
7. Images or Files Replaced	8
8. Installation Instructions	9
8.1. Compressed File	9
8.2. Installation Command	10
9. Copyright	10
10. Disclaimer of Warranty and Limitation of Liability	10
11. Patch ID	11
Appendix A. User-Selectable Control Options and Scripting Considerations	11
A.1. Controlling Kit Behavior for Introductory Questions	11
A.2. Standard Behavior for YES/NO Questions Asked During Kit Installation	12
A.3. Installing a Kit From a Batch Job	12
A.4. Deprecated Logical Names From HPE ECO Kits	13

1. Kit Name

VMS842L3I_RMS-V0602

2. Kit Description

2.1. Installation Rating

INSTALL_1: To be installed by all customers.

This installation rating serves as a guide to which customers should apply this remedial kit.

Reference the [Disclaimer of Warranty and Limitation of Liability Statement](#).

2.2. Reboot Requirement

A reboot is required after installing this kit.

VMS Software, Inc. strongly recommends that a reboot be performed immediately after kit installation to avoid system instability.

If you are installing this kit in a VMScluster, any systems that share the same system disk with the installing system must also be rebooted in order to make use of the new images.

2.3. Version(s) of VSI OpenVMS to Which This Kit May Be Applied

- VSI OpenVMS IA-64 V8.4-2L1
- VSI OpenVMS IA-64 V8.4-2L3

The images and files in this kit apply to any of these VSI OpenVMS versions. Because remedial kits are removed by PCSI during upgrades to newer OpenVMS versions, the kit will need to be reinstalled if an upgrade is done from an older listed version to any newer listed version.

3. Kits Superseded by This Kit

VMS842L3I_RMS-V0500
VMS842L3I_RMS-V0600
VMS842L3I_RMS-V0601
VMS842L3I_RMSDEF-V0100

4. Kit Dependencies

VMS842L1I_UPDATE-V0100 (if installing on V8.4-2L1)

All new ECO kits for VSI OpenVMS IA-64 V8.4-2L1 require the VMS842L1I_UPDATE-V0100 kit.

VMS842L1I_FILESYS-V0100 (if installing on V8.4-2L1)

VMS842L3I_FILESYS-V0100 (if installing on V8.4-2L3)

This kit requires the FILESYS V1.0 kit for the target OpenVMS version as a prerequisite.

5. Problems Addressed in This Kit

5.1. Restore Correct Behavior for RWMBX Processes to Avoid System Hang

Problem Description

In the RMS V6.0 ECO kits, a change was made to allow processes in RWMBX waits to lower their lock mode for file system resources they might own. This avoided a potential system hang. The change is described in detail in *Section 6.3, "File Locks Owned by Process in RWMBX Resource Wait May Cause Hang"* below.

In the RMS V6.1 ECO kits, a change was made to avoid a process deletion or system crash, as described below in *Section 6.5, "Spurious process terminations after installing RMS V6.0 ECO kit"*.

Unfortunately there was some potential interference between these two changes which resulted in some cases of RWMBX processes causing system hangs again.

This ECO kit correctly differentiates and solves both symptoms.

Images and/or Files Affected

[SYS\$LDR]RMS.EXE
[SYS\$LDR]RMS.STB

VSI Case Identifier

Jira BO-2537, BO-2538
Netsuite NS9631

Release Version of VSI OpenVMS That Will Contain This Change

Next VSI OpenVMS IA-64 release after V8.4-2L3

5.2. Allow Attunity Change Data Capture (RMSCDC) to Validate that its Version is Compatible with the Current RMS Version

Problem Description

The RMSCDC product intercepts RMS system calls and duplicates the data being changed for other target applications, such as a SQL database server. The definitions of RMS data structures and internal code addresses are determined when RMSCDC is initialized to start. This includes the definitions in RMSDEF.STB. Some changes of interest have occurred to that file over time, but it was accidentally not included in previous FILESYS or RMS ECO kits.

A separate RMSDEF V1.0 ECO kit was provided to correct the environment for customers using Attunity RMSCDC on systems with previous FILESYS and RMS ECO kits.

With this ECO kit installed, the RMSDEF.STB content is directly provided along with the updated RMS image, and there is no longer any need for the RMSDEF ECO kit.

All future ECO kits which include RMS.EXE will also include RMSDEF.STB to keep the RMS context synchronized.

Images and/or Files Affected

[SYS\$LDR]RMSDEF.STB

VSI Case Identifier

Netsuite NS6875

Release Version of VSI OpenVMS That Will Contain This Change

Next VSI OpenVMS IA-64 release after V8.4-2L3

6. Problems Addressed From Previous Kits

6.1. Correct an Issue Where an RMS Status Code May Be Truncated

Problem Description

Under very heavy load, RMS may potentially truncate an error status code and return an incorrect status. The status will still be an error but will not necessarily match the expected specific errors that could be returned from the failing operation.

This issue has been present in RMS for decades. It is extremely infrequent and likely not noticed by most applications, which typically only check for an error status by the low status bit being clear, rather than checking specific error code returns.

The problem is corrected with this ECO kit.

Images and/or Files Affected

[SYS\$LDR]RMS.EXE

[SYS\$LDR]RMS.STB

VSI Case Identifier

Jira BO-1324, FS-175

Bugzilla 2275

Release Version of VSI OpenVMS That Will Contain This Change

Next VSI OpenVMS IA-64 release after V8.4-2L3

6.2. Fixes From the FILESYS V1 ECO Kit

This kit contains the superset of changes for RMS from the FILESYS V1.0 ECO kit and the updates described above.

The previous changes for RMS are documented in the release notes for the FILESYS V1.0 kit.

6.3. File Locks Owned by Process in RWMBX Resource Wait May Cause Hang

Problem Description

If a process owns a lock on a file system resource and another process attempts to acquire an incompatible lock on the same resource, then a blocking AST is delivered to the owning process so it may lower the lock mode to allow the new process to continue.

Under normal circumstances, this happens automatically and the processes will make progress with the locks and file access as needed.

A process in RWMBX resource wait state could own file system locks on files while it is trying to read or write to a mailbox. Should a new process request a lock in this case, the owning process was unable to drop its lock mode since the process could not continue until the resource wait state was satisfied.

To prevent a potential hang, the blocking AST routine has been modified to directly lower the lock mode rather than wait until the RWMBX state clears.

This behavior was discovered by a customer using PIPE to invoke the AUTHORIZE utility as a step in its piped commands. Since each step in the pipe creates a new sub-process and uses mailboxes for communication, it was possible for the PIPE command to cause the process to block against itself. As this entailed a file lock on the system authorization file (SYSUAF), eventually it would cause a system hang for new processes or any other processes trying to access the file.

This behavior is corrected with this ECO kit.

Images and/or Files Affected

[SYS\$LDR]RMS.EXE
[SYS\$LDR]RMS.STB

VSI Case Identifier

Jira CLUS-38, BO-1900
Netsuite NS7556

Release Version of VSI OpenVMS That Will Contain This Change

Next VSI OpenVMS IA-64 release after V8.4-2L3

6.4. Spurious RMS-E-RLK Errors After Installing RMS V5 ECO Kit

Problem Description

The RMS V5 ECO kits (VMS842L3I_RMS-V0500 for IA-64 systems, VMS842L2A_RMS-V0500 for Alpha systems) contained a comprehensive internal status code reorganization to avoid returning a truncated error status on some RMS operations during heavy load.

One particular set of status code condition tests was accidentally missed during that update. In trying to determine whether there was a record locked condition during an RMS \$DELETE operation, the missed condition test could in some cases mistakenly signal the error:

```
%RMS-E-RLK, target record currently locked by another stream
```

This problem is corrected with this ECO kit.

If you previously installed the RMS V5 ECO kit on your system, VSI strongly recommends you apply this RMS V6 ECO kit to avoid any chance of spurious errors.

Images and/or Files Affected

[SYS\$LDR]RMS.EXE
[SYS\$LDR]RMS.STB

VSI Case Identifier

Jira BO-1945
Netsuite NS7669, NS7935

Release Version of VSI OpenVMS That Will Contain This Change

Next VSI OpenVMS IA-64 release after V8.4-2L3

6.5. Spurious process terminations after installing RMS V6.0 ECO kit

Problem Description

The RMS V6.0 ECO kit contained a change to avoid a system hang due to a process in RWMBX state owning file system locks (described in Section 6.3 above).

In a small percentage of cases, the context for the owned lock did not yet include all the structures for the AST delivery. Attempting to read these structures would result in an access violation, leading to a process termination or a SSRVEXCEPT system crash if the SYSGEN parameter BUGCHECKFATAL was set to 1.

On IA-64 systems, this was further complicated by a bug in exception processing which accidentally overwrote the stored final status for the process. Instead of the expected ACCVIO status, the value was a P1 space virtual address somewhere on the executive mode stack. That bug has been latent since day one of OpenVMS IA-64 support, and will be corrected in a future SYS ECO kit.

The triggering issue in the RMS handling of the AST context is corrected with this ECO kit.

Images and/or Files Affected

[SYS\$LDR]RMS.EXE
[SYS\$LDR]RMS.STB

VSI Case Identifier

Jira BO-2042,BO-2043,BO-2176,BO-2177

Netsuite NS7912, NS8558

Release Version of VSI OpenVMS That Will Contain This Change

Next VSI OpenVMS IA-64 release after V8.4-2L3

7. Images or Files Replaced

If installing on V8.4-2L1

[SYS\$LDR]RMS.EXE

Image name:	"RMS"
Image file identification:	"X-5"
Image build identification:	"XE4H-H4N-000199"
Link identification:	"Linker I02-37"
Link Date/Time:	8-MAY-2026 23:21:04.57
Image Checksum (MD5):	04FF861F3922DB2B21542E2372C2264E

[SYS\$LDR]RMS.STB

File creation date and time:	8-MAY-2026 23:21:04.72
Checksum (MD5):	B6C7DD9AA496ADA82EB6A1B3A2FF5FC3

[SYS\$LDR]RMSDEF.STB

File creation date and time:	8-MAY-2026 23:10:11.36
Checksum (MD5):	ADFBC85C7763C8CCE0581E6D709FAAE4

If installing on V8.4-2L3

[SYS\$LDR]RMS.EXE

Image name:	"RMS"
Image file identification:	"X-5"
Image build identification:	"XFWL-C6E-000199"
Link identification:	"Linker I02-37"
Link Date/Time:	9-MAY-2026 01:03:50.13
Image Checksum (MD5):	D480EE3F73A85D32A9826B431348F4B2

[SYS\$LDR]RMS.STB

File creation date and time:	9-MAY-2026 01:03:50.75
------------------------------	------------------------

Checksum (MD5):	1483BCB26671FFF7A1FE4A70604C392E
-----------------	----------------------------------

[SYS\$LDR]RMSDEF.STB

File creation date and time:	9-MAY-2026 00:52:26.35
Checksum (MD5):	52B7FA6521D91AB82E52223625A2B3E2

Note

VMS Software, Inc. will only distribute kits in signed form. There is no need for most customers to compare file checksums for security or kit integrity reasons.

However, some sites may require such checking even when using signed kits. The image or file checksums are supplied (in MD5 format) to provide comparisons to the extracted final kit files. To find a file checksum, use:

```
$ CHECKSUM/ALGORITHM=MD5 filename  
$ SHOW SYMBOL CHECKSUM$CHECKSUM
```

Note

Because a file or image may be replaced by multiple ECO kits over time, a PCSI generation number is used to ensure that the latest version of the file or image is preserved on your system during **PRODUCT INSTALL** of an ECO kit. Should a particular kit installation discover a newer version of a file or image in place on the system disk, the following message will be displayed:

```
%PCSI-I-RETAIN, file filename will not be replaced because file from kit  
has lower generation number
```

This is a normal occurrence depending on the order of kit installation. The correct version of the file or image will remain on the system after the current kit installation. The %PCSI-I-RETAIN message is informational only and does not indicate a problem.

8. Installation Instructions

8.1. Compressed File

This kit is provided for download within a ZIP archive container file.

The kit files may be extracted on any system with UNZIP and copied to your OpenVMS system, or extracted on your OpenVMS system directly.

Assuming you have created an UNZIP symbol to invoke the UNZIP image, you can invoke UNZIP to unpack the kit on OpenVMS using the command:

```
$ UNZIP VMS842L3I_RMS-V0602
```

This will extract the installable PCSI product kit file and its associated signed manifest (_VNC file), used for kit validation during **PRODUCT** commands.

VSI strongly recommends always using the manifest to validate the kit content during any **PRODUCT** commands. This will occur automatically if the files are both contained in the same directory.

UNZIP Tool Availability

Most customers likely have already installed a set of ZIP and UNZIP tools on their VSI OpenVMS systems. Should you need these tools, a set of the Info-ZIP freeware ZIP and UNZIP tools for VSI OpenVMS is available for download on the web at this address: <https://vmssoftware.com/community/freeware/>.

8.2. Installation Command

Install this kit with the POLYCENTER Software Installation Utility by logging into the SYSTEM account, and typing the following command at the DCL prompt:

```
$ PRODUCT INSTALL VMS842L3I_RMS [/SOURCE=location_of_kit]
```

The kit location may be a tape drive, CD/DVD, or a disk directory that contains the kit. The **/SOURCE** qualifier is not needed if the **PRODUCT INSTALL** command is executed from the same directory as the kit location.

This kit requires the use of **/RECOVERY_MODE** and **/SAVE_RECOVERY_DATA** and will automatically set them; they do not need to be present on the command line.

The release notes for any kit may be extracted prior to kit installation using the **PRODUCT EXTRACT RELEASE_NOTES** command.

User-selectable options for installation behavior and scripting are available in this kit, refer to *Appendix A, "User-Selectable Control Options and Scripting Considerations"* for further details.

Additional help on installing PCSI kits can be found by typing **HELP PRODUCT INSTALL** at the system prompt.

9. Copyright

VMS SOFTWARE, INC. CONFIDENTIAL. This software is confidential proprietary software licensed by VMS Software, Inc., and is not authorized to be used, duplicated or disclosed to anyone without the prior written permission of VMS Software, Inc.

Copyright 2026 VMS Software, Inc.

10. Disclaimer of Warranty and Limitation of Liability

This patch is provided as is, without warranty of any kind. All express or implied conditions, representations and warranties, including any implied warranty of merchantability, fitness for particular purpose, or non-infringement, are hereby excluded to the extent permitted by applicable law. In no event will VMS Software, Inc. be liable for any lost revenue or profit, or for special, indirect, consequential, incidental or punitive damages, however caused and regardless of the theory of liability, with respect to any patch made available here or to the use of such patch.

11. Patch ID

I64VMS-VMS842L3I_RMS-V0602--4

A. User-Selectable Control Options and Scripting Considerations

A.1. Controlling Kit Behavior for Introductory Questions

This kit provides user-selectable control options for kit dialogue interaction and automated scripting capability as described here in this appendix.

The general form of a VSI OpenVMS ECO kit, when using **PRODUCT INSTALL**, consists of three initial questions regarding these topics:

1. System disk backup: A reminder that VSI recommends backing up the system disk before installing updates, followed by a `Do you want to continue? yes/no` question, default is YES.
2. Reboot requirement: A summary of whether the kit being installed requires a system reboot, followed by a `Do you want to continue? yes/no` question, default YES.
3. Archival of updated files: A description of saving an "_OLD" copy of each image or file updated by the kit, followed by a `Do you want to save "_OLD" copies of replaced files? yes/no` question, default is NO.

Other questions may be asked later, depending on the target disk or system environment or other kit-specific requirements.

Note

An initial `Do you want to continue?` question may be asked directly by the PCSI utility during any **PRODUCT** command - this has nothing to do with the kit being used. To avoid that question, you must supply sufficient detail to uniquely identify the product you wish to use and specify **/OPTIONS=NOCONFIRM** on the **PRODUCT** command.

Control options are available to customize the dialogue for the initial three kit questions. The controls are logical names, which may be defined in the process logical name table with a value of YES or NO.

To modify the behavior of the VSI ECO kit regarding the initial questions, define one or more of the following logical names before issuing the **PRODUCT INSTALL** command.

- To skip one or more of the questions, define the corresponding logical name shown here to YES:

SKIP\$BACKUP	Skips system backup awareness question.
SKIP\$REBOOT	Skips system reboot awareness question.
SKIP\$ARCHIVE_OLD	Skips question about saving "_OLD" files. This will take the default, which is NO.
SKIP\$INTRO	Skips all three of the above questions.

- To specifically override the default for saving "_OLD" files, define this logical name to YES or NO:

VSIKIT\$ARCHIVE_OLD	Sets an answer for saving "_OLD" files behavior. This will skip the archive "_OLD" files question regardless of the above SKIP\$* logical names.
---------------------	--------------------------------------------------------------------------------------------------------------------------------------------------

- Two additional logical names may be defined as YES to modify the amount of explanatory text displayed for each question:

VSIKIT\$VERBOSE	Shows all explanatory text for questions.
VSIKIT\$BRIEF	Skips some general details in the explanations.

The default if neither name is defined is VERBOSE. If both names are defined to YES, VERBOSE overrides BRIEF. The BRIEF form is displayed for any questions that are skipped.

For example, to skip all three questions but save an archive "_OLD" copy of each replaced file:

```
$ DEFINE VSIKIT$ARCHIVE_OLD YES
$ DEFINE SKIP$INTRO YES
$ PRODUCT INSTALL kitname
```

A.2. Standard Behavior for YES/NO Questions Asked During Kit Installation

Any YES/NO questions asked during kit installation now follow these rules:

1. **Ctrl/Y** issued while a question is being asked will force the current **PRODUCT** operation to terminate. This is completely safe to do while the initial three questions are being asked during **PRODUCT INSTALL** as no changes have yet been made to the target disk.
2. Some questions may ignore **Ctrl/Y** and ask for a specific answer, if aborting the current operation may have side effects. PCSI may trap **Ctrl/Y** directly for some **PRODUCT** operations. **Ctrl/Y** may be disabled during some sensitive kit processing.
3. The default YES/NO answer is automatically chosen if a kit is installed from a batch job, unless explicitly overridden by a logical name which provides the particular value, such as VSIKIT\$ARCHIVE_OLD.

A.3. Installing a Kit From a Batch Job

To install a kit from a batch job, you will need to fully qualify the kit name so PCSI will have enough information to select the kit without asking for confirmation. For example, to install this kit:

```
$ PRODUCT INSTALL VMS842L3I_RMS/VERSION=V6.2/OPTIONS=NOCONFIRM
```

If the kit is located in a directory other than the current default directory, you will also need to add the qualifier:

```
/SOURCE=location_of_the_kit
```

For a batch job, any YES/NO question will automatically select the default answer. Use the control logical names explained above to modify the behavior if necessary. For the system disk backup and reboot questions, the batch behavior is identical to the default. For the save "_OLD" files question, define

the VSIKIT\$ARCHIVE_OLD logical name to YES if you want to save copies of the files, since the batch default is NO.

A.4. Deprecated Logical Names From HPE ECO Kits

The three names listed below were used by older VSI OpenVMS ECO kits for compatibility with HPE ECO kit behavior. These old names continue to function, but VSI encourages you to modify any scripts you may have to use the new names shown instead:

Old Name	New Name
NO_ASK\$BACKUP	SKIP\$BACKUP
NO_ASK\$REBOOT	SKIP\$REBOOT
ARCHIVE_OLD	VSIKIT\$ARCHIVE_OLD